


MAKE THE  
FUTURE  
**EASIER**



SERVICE  
SECURITY  
PREVENTION



Under control, at any time.

Easy

W

We have created a simple and effective user experience. In order to install hiWEB you only need a LAN , WIRELESS or SIM connection  
No special devices are required to use the system.  
Its interface is easily usable with any web browser, from any device.

Based on the LINUX operating system, hiWEB offers an unheard-of stability and reliability.

**For controlled and careful alarm management**

The system offers the possibility to configure, according to one's own needs, the MONITORING and the alarm NOTIFICATIONS.

The possibility to intervene promptly on a single alarm prevents so the risk of unwanted problems.

Effective



PREVENTION  
of serious alarms

SERVICE  
in real time

SECURITY  
and reliability

- MONITORING UP TO 32 UNITS SIMULTANEOUSLY
- LIBRARIES WITH EXCLUSIVE PARAMETERS THAT CAN BE CUSTOMIZED TO THE SINGLE UNITS
- HISTORY OF DATA RECORDS UP TO 30 DAYS
- POSSIBILITY TO MAKE BACKUPS OF RECORDED DATA
- SEND CUSTOMIZED ANALYSIS DATA VIA EMAIL
- LEVELS OF CONTROL DEDICATED TO DIFFERENT USERS

- 
- REMOTE SERVICE WITHOUT FEE THROUGH LAN OR SIM CONNECTION AT CUSTOMER'S CHARGE
  - FEWER INTERVENTIONS FROM THE TECHNICAL STAFF
  - EXECUTION FROM ALL BROWSERS
  - INSTANT ALERT VIA EMAIL OR SMS
  - ACCESS TO THE INTERFACE FROM ANY DEVICE
  - CUSTOMIZABLE LAYOUTS WITH THE POSSIBILITY TO DISPLAY ONLY THE DESIRED INDICATORS

## features

# REALTIME


In addition to system, date, time and user information, it is also possible to check in real time from your device the active alarms and the status of values updated instantly.

You can therefore know at any time every single variation of the systems and remotely control the adjustable parameters.

It is also possible to show a graph with the variants on the parameters set in a fixed time frame.

# Supervision

hiWEB can intervene in the management of the plant thanks to the concept of supervision applied to the system. The supervision allows an autonomous intervention of the monitoring unit on the controlled devices. Being a tool of fundamental importance for the user, its use has been simplified to the maximum by obtaining a graphic interface that does not require programming skills for its management.



The hiWEB's layout can be customized according to the style and the needs of the customer, offering the possibility to insert your logo and to show only the necessary measurement windows. This gives you the possibility to move around in a recognizable and easily associable environment to a specific brand.




INCLUDED ETHERNET CABLE

USB CONNECTION TO EXTERNAL DEVICES

LAN CONNECTION

EXTERNAL MODEM GATE

INCLUDED CLAMPS CONNECTION



MAKE THE  
FUTURE  
EASIER

---



---

**HIDEM**  
**HIDEM**  
GROUP

[hidemgroup.com](http://hidemgroup.com)

1601000069IT  
LFLETHIWEB-20-00